


A I I I



7 Commerce Drive, Danbury, CT 06810

203.794.1100

203.830.4116 fax

web.atmi.com

info@atmi.com

facsimile transmittance

To: Examiner Scott Wilson

Fax: 703-746-4123

From: William F. Ryann

Date: October 9, 2002

ATMI - Legal Department

E-mail:

Pages: 10 page total (including transmittal)

Re: U.S. Serial No. 10/092,887

Docket No.: ATMI-510-CIP-PCT

DRAFT
DO NOT ENTER

FACSIMILE TRANSMISSION CERTIFICATE

It hereby is certified by the person identified below that this paper is being facsimile transmitted by such person to the Commissioner For Patents, Washington, DC 20231, on the date specified and Transmitted by Facsimile under the provisions of 37 CFR 1.6(d).

Signature

Lee Ann DiLello

Name of Person Mailing This Paper

October 9, 2002

Date of Transmission

703-746-4123

Facsimile Number

Please deliver the following Preliminary Amendment to Examiner Wilson.

Thank you.

DRAFT

The document(s) accompanying this facsimile transmission contain(s) information which is confidential and/or legally privileged. The information is intended only for the use of the individual or entity named on this transmission sheet. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution, or the taking of any action in reliance on the contents of this information is strictly prohibited, and the document(s) should be returned to the sender. If you have received this facsimile in error, please notify us by telephone immediately so that we may arrange for the return of the original documents at no cost to you.



Please type a plus sign (+) inside this box



PTO/SB/21 (08-00)

Approved for use through 10/31/2002. OMB 0851-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paper Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

TRANSMITTAL FORM <i>(to be used for all correspondence after initial filing)</i>	Application Number	10/092,887
	Filing Date	March 7, 2002
	First Named Inventor	George R. Brandes
	Group Art Unit	2826
	Examiner Name	Scott Wilson
Total Number of Pages in This Submission	Attorney Docket Number	ATMI-172-CIP-Div.

ENCLOSURES (check all that apply)		
<input type="checkbox"/> Fee Transmittal Form <input type="checkbox"/> Fee Attached <input checked="" type="checkbox"/> Amendment / Reply <input type="checkbox"/> After Final <input type="checkbox"/> Affidavits/declaration(s) <input type="checkbox"/> Extension of Time Request <input type="checkbox"/> Express Abandonment Request <input type="checkbox"/> Information Disclosure Statement <input type="checkbox"/> Certified Copy of Priority Document(s) <input type="checkbox"/> Response to Missing Parts/Incomplete Application <input type="checkbox"/> Response to Missing Parts under 37 CFR 1.52 or 1.53	<input type="checkbox"/> Assignment Papers (for an Application) <input type="checkbox"/> Drawing(s) <input type="checkbox"/> Licensing-related Papers <input type="checkbox"/> Petition <input type="checkbox"/> Petition to Convert to a Provisional Application <input type="checkbox"/> Power of Attorney, Revocation Change of Correspondence Address <input type="checkbox"/> Terminal Disclaimer <input type="checkbox"/> Request for Refund <input type="checkbox"/> CD, Number of CD(s)	<input type="checkbox"/> After Allowance Communication to Group <input type="checkbox"/> Appeal Communication to Board of Appeals and Interferences <input type="checkbox"/> Appeal Communication to Group (Appeal Notice, Brief, Reply Brief) <input type="checkbox"/> Proprietary Information <input type="checkbox"/> Status Letter <input type="checkbox"/> Other Enclosure(s) (please identify below):
Remarks		

SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT	
Firm or Individual name	William F. Ryann, Reg. No. 44,313
Signature	
Date	October 9, 2002

CERTIFICATE OF FACSIMILE			
I hereby certify that this correspondence is being facsimile transmitted pursuant to 37 C.F.R. 1.6(d) to : Commissioner for Patents, Washington, D.C. 20231, to facsimile No. 703-746-4123 on this date:			
			10/9/2002
Type or printed name	Lee Ann DiLello		
Signature		Date	10/9/2002


Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

Received from < 203 797 2544 > at 10/9/02 2:19:48 PM [Eastern Daylight Time]

172-CIP-Div.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**In re United States Patent Application of:****Applicants: George R. Brandes, et al.****Examiner: Scott Wilson****Serial No.: 10/092,887****Group Art Unit:2826****Date Filed: March 7, 2002****Title: AMORPHOUS SILICON CARBIDE
THIN FILM ARTICLES****FACSIMILE TRANSMISSION CERTIFICATE**

It hereby is certified by the person identified below that this paper is being facsimile transmitted by such person to the Commissioner For Patents, Washington, DC 20231 on the date specified, and Transmitted by Facsimile under the provisions of 37 CFR 1.6(d).


SignatureLee Ann DiLello
Name of Person Mailing This PaperOctober 9, 2002
Date of Transmission703-746-4123
Facsimile Number**SECOND PRELIMINARY AMENDMENT**

Commissioner for Patents
Washington, D.C. 20231

Applicant respectfully requests entry of the following Amendments and
consideration of the subsequent remarks.

DRAFT

IN THE CLAIMS

Please cancel all pending claims with the exception of claim 1. Please also add the following new claims as indicated. The new claims are numbered 2-23 for clarification.

1. An article comprising an amorphous silicon carbide thin film on a structure selected from the group consisting of:

substrates that are transmissive to at least one of light and infrared radiation;

structures adversely affected by exposure to radio frequency and/or microwave radiation thereon;

shielding members for protection of structures adversely affected by exposure to radio frequency and/or microwave radiation thereon;

structures susceptible to chemical attack and/or thermal degradation in their end use environments; and

electronic circuitry structures susceptible to diffusional release and/or diffusional receipt of atomic species in use thereof.

2. (New) An electromagnetic interference shielded assembly, comprising:
a structure disposed in protective relationship to a region to be shielded; and

an electrically conductive thin film of amorphous silicon carbide on at least a portion of said structure.

3. (New) The electromagnetic interference shielded assembly of claim 2, wherein the thin film exhibits sufficient conductivity to provide a ground path for electromagnetic interference induced currents and exhibits sufficient optical transparency to pass optical signals through the window without substantial attenuation.

4. (New) The electromagnetic interference shielded assembly of claim 2, wherein the thin film exhibits an electrical resistivity in the range from about 10 mΩ cm to about 25 mΩ cm.

5. (New) The electromagnetic interference shielded assembly of claim 2, wherein the thin film has been deposited on the structure by a process selected from the group consisting of chemical vapor deposition, plasma enhanced chemical vapor deposition, RF glow discharge, RF sputtering, ion cluster beam deposition, ion beam sputtering, sol gel coating, reactive sputtering, plasma spray, reactant spraying, microwave discharge, and photo CVD.

6. (New) The electromagnetic interference shielded assembly of claim 2, wherein the thin film comprises a sputtered thin film.

7. (New) The electromagnetic interference shielded assembly of claim 2, wherein the thin film has a thickness in the range from about 0.025 micron to about 10 microns.
8. (New) The electromagnetic interference shielded assembly of claim 2, wherein the thin film has a thickness in the range from about 0.05 micron to about 1.0 micron.
9. (New) The electromagnetic interference shielded assembly of claim 2, wherein the thin film is formed with a thickness in the range from about 0.1 micron to about 0.5 micron.
10. (New) The electromagnetic interference shielded assembly of claim 2, further comprising a glue layer between the structure and the thin film.
11. (New) The electromagnetic interference shielded assembly of claim 10, wherein the glue layer comprises a material selected from the group consisting of Ti, Si, Cr, and Zr.
12. (New) A sensor assembly, comprising:
 - a sensor; and
 - an amorphous silicon carbide thin film on at least part of the sensor.
13. (New) The sensor assembly of claim 12, wherein the thin film has a thickness in the range from about 0.025 micron to about 10 microns.

14. (New) The sensor assembly of claim 12, wherein the thin film has a thickness in the range from about 0.05 micron to about 1.0 micron.

15. (New) The sensor assembly of claim 12, wherein the thin film has a thickness in the range from about 0.1 micron to about 0.5 micron.

16. (New) A sensor assembly, comprising:
a sensor including sensing element(s) formed of amorphous silicon carbide,
whereby the sensor assembly is operable at temperatures up to 1000°C.

17. (New) A high-temperature sensor assembly, comprising:
a sensing element formed of amorphous silicon carbide; and
electrical circuitry operatively coupled with the sensing element, said electrical circuitry comprising amorphous silicon carbide doped with at least one dopant selected from the group consisting of n-type and p-type dopants, whereby the sensor assembly is operable at temperatures up to 1000°C.

18. (New) A high-temperature pressure sensor, comprising:
a substrate including a reference cavity region;
a first highly resistive amorphous silicon carbide thin film deposited on the substrate, but not the reference cavity region;

- wa. 4 for ref,

J2P6

a second highly resistive amorphous silicon carbide thin film deposited over the first highly resistive thin film, and additionally over the reference cavity region, to form a sealed reference cavity;

a low resistivity amorphous silicon carbide thin film deposited over the second highly resistive thin film, over the region of the sealed reference cavity; and

electrodes contacting the low resistivity amorphous silicon carbide thin film, and operatively coupled to a resistance-sensing electrical circuit, whereby changes in resistivity of the low resistivity amorphous silicon carbide thin film incident to changes in strain in the low resistivity amorphous silicon carbide thin film are sensed by the resistance-sensing circuit.

19. (New) The high-temperature pressure sensor of claim 18, comprising amorphous silicon carbide doped with a dopant species comprising a material selected from the group consisting of hydrogen, halogen, nitrogen, oxygen, sulfur, selenium, transition metals, boron, aluminum, phosphorus, gallium, arsenic, lithium, beryllium, sodium and magnesium.

20. (New) A VLSI circuit assembly, comprising:

a VLSI electronic circuit including an active circuit structure and a metalization interconnect layer; and

a thin film of amorphous silicon carbide between the active circuit structure and the metalization layer, as a diffusion barrier against diffusion of atoms from the metalization layer into the active circuit structure.

21. (New) A method of forming an article as in claim 1, comprising deposition of said amorphous silicon carbide thin film by a process selected from the group consisting of chemical vapor deposition, plasma enhanced chemical vapor deposition, RF glow discharge, RF sputtering, ion cluster beam deposition, ion beam sputtering, sol gel coating, reactive sputtering, plasma spray, reactant spraying, microwave discharge, and photo CVD.

22. (New) The method of claim 21, wherein said process comprises sputtering.

23. (New) The method of claim 21, wherein the amorphous silicon carbide thin film forms a protective coating for the structure.

REMARKS**DRAFT**

This Second Preliminary Amendment is submitted pursuant to a request by the Examiner. The Amendment is for the purpose of clarifying the particular claims the applicant intends to be pending at this time.

The Examiner is requested to contact the undersigned attorney at (203) 794-1100 should this be seen as helpful in advancement of prosecution of this application. Please charge any deficiency or credit any overpayment to Deposit Account No. 50-0860.

Respectfully submitted,



William F. Ryan
Registration No. 44,313

Advanced Technology Materials, Inc.
7 Commerce Dr.
Danbury, Ct. 06810
203 794-1100
203 797-2544 Fax
Attorney Ref: ATMI-172-CIP-Div.

2:19 PM 10/9/02 Transmission Record
Received from remote ID "203 797 2544"
Unique ID: "SWI3DA43B1B36EE"
Elapsed time: 2 minutes, 49 seconds.
Used channel 2.
No ANI data.
No AOC data.
Resulting status code (0): No Errors
Pages sent: 1 - 10